



JUST

ZHEJIANG JUST ELECTRICAL APPLIANCES CO., LTD (CHINA)

JUST ENERGY SDN. BHD.(MALAYSIA)

AGM-GEL VRLA INDUSTRIAL BATTERIES

Specifications

General Purpose Long Design Life Series

6 Volt Units - Capacities 1.2Ah up to 14Ah

12 Volt Units - Capacities 1.3Ah up to 250Ah

Front Terminal Units - Capacities 100Ah up to 200Ah

Lead Carbon Units - Capacities 100AH up to 200Ah



Features

Maintenance Free Valve Regulated AGM/GEL Design

Can be operated in horizontal or vertical position

Non-spillable - Can be used in office equipment

Manufactured under a certified ISO9001 quality system



JUST

General Purpose Long Design Life Batteries
Deep Cycle UPS & Solar Batteries

Applications: Emergency lighting, Fire & Security, UPS, Telecom, Control Equipment, Toys.

General Specifications

Model	Norminal Voltage	Rate Capacity(ah)		Dimension(mm)				Approx Weight
	V	20HR(1.80V/Cell)	10HR(1.8V/Cell)	Length	Width	Height	Total Height	kg
FM/4-4.5	4	4.5	4.19	47	47	101	106	0.48
FM/4-8	4	8	7.45	70	47	99	105	0.80
FM/6-1.2	6	1.2	1.12	97	24	51	57	0.29
FM/6-2.8	6	2.8	2.6	66	34	100	105	0.55
FM/6-3.2	6	3.2	2.98	134	34	60	65	0.65
FM/6-4.5	6	4.5	4.19	70	47	101	106	0.75
FM/6-7	6	7	6.51	151	34	94	99	1.1
FM/6-12	6	12	11.20	151	50	94	99	1.7
FM/12-1.3	12	1.3	1.21	98	43	51	56	0.58
FM/12-4.5	12	4.5	4.19	90	70	101	106	1.4
FM/12-6.5	12	6.5	6.05	151	65	94	99	2
FM/12-7	12	7	6.51	151	65	94	99	2.1
FM/12-7.5	12	7.5	6.98	151	65	94	99	2.2
FM/12-8	12	8	7.44	151	65	94	99	2.3
FM/12-9	12	9	7.91	151	65	94	99	2.4
FM/12-12	12	12	11.6	151	98	95	101	3.3
FM/12-18	12	18	16.74	181	77	167	167.5	5.1
FM/12-20	12	20	18.6	181	77	167	167.5	5.4
FM/12-24(H)	12	24	22.32	166	125	175	182	7.7
FM/12-24	12	24	22.32	167	175	125	125	7.5
FM/12-26	12	26	24.18	167	175	125	125	7.8
FM/12-33	12	35.5	33	196	131	155	180	10.0
FM/12-38	12	39.5	38	196	166	175	182	12.2
FM/12-40	12	43	40	196	166	175	182	12.6
FM/12-55	12	57.2	55	228	138	212	230	16.4
FM/12-65	12	70	65	350	166	178	178	20.0
FM/12-75	12	78	75	259	169	208	227	22.0
FM/12-90	12	96	90	307	169	208	227	26.0





JUST

**General Purpose Long Design Life Batteries
Deep Cycle UPS & Solar Batteries**

Applications: Solar & UPS& Wind system,Telecom,Water pumping,etc.

AGM-GEL VRLA Battery

Model	Norminal Voltage	Rate Capacity(ah)		Dimension(mm)				Approx Weight
	V	20HR(1.80V/Cell)	10HR(1.8V/Cell)	Length	Width	Height	TotalHeight	kg
FM/12-100	12	104	100	328	172	212	222	30
FM/12-100	12	104	100	406	174	212	238	33
FM/12-120	12	124.8	120	406	174	212	238	36
FM/12-150	12	156	150	483	170	239	239	43
FM/12-200	12	208	200	522	239	216	244	60.5
FM/12-250	12	260	250	522	265	216	245	70

Front Terminal Battery

Model	Norminal Voltage	Rate Capacity(ah)		Dimension(mm)				Approx Weight
	V	20HR(1.80V/Cell)	10HR(1.8V/Cell)	Length	Width	Height	TotalHeight	kg
FT/12-100	12	110	100	507	110	223	238	30
FT/12-150	12	165	150	551	110	287	287	44
FT/12-180	12	200	180	561	125	316	316	57
FT/12-200	12	225	200	561	125	316	316	58

Lead Carbon Battery


Model	Norminal Voltage	Rate Capacity(ah)		Dimension(mm)				Approx Weight
	V	20HR(1.80V/Cell)	10HR(1.8V/Cell)	Length	Width	Height	TotalHeight	kg
LC/12-100	12	104	100	328	172	212	222	31.5
LC/12-120	12	124.8	120	406	174	212	238	38
LC/12-150	12	156	150	483	170	239	239	45.5
LC/12-200	12	208	200	522	239	216	244	63






JUST

General Purpose Long Design Life Batteries Deep Cycle UPS & Solar Batteries



Certificate



ZHEJIANG JUST ELECTRICAL APPLIANCES CO., LTD (CHINA)
Factory Add: A zone, Nvbu Industry Area, Lanxi, Jinhua, Zhejiang, China

JUST ENERGY SDN. BHD.(MALAYSIA)
Factory Add: PT 11633, Sendayan Tech Valley, Jalan Tech Valley 3/1, 71950 Bandar Sri Sendayan, Negeri Sembilan, Malaysia

Office Add: 21th Floor, Jinxin Building, No.355 Yingbin Road, Linping Area, Hangzhou, Zhejiang, China.
Web: www.zjjust.com Tel : +86-571-87177601 Fax: +86-571-87177610